
Using a Variable to Show a Label within a Video

Created On: September 29, 2022

Using a Variable to Show a Label within a Video

1. Select the Interact tab.

The screenshot shows the Articulate Storyline software interface. The top ribbon has tabs for Home, Insert, Engage, **Interact** (selected), Record, Design, and View. The 'Interact' tab is highlighted with a red box. Below the ribbon, the main workspace displays a video titled 'Using a Variable to Show a Label within a Video'. The video is currently paused at 00:00. The timeline at the bottom shows a video element starting at 0.0 and ending at 2.0. The 'Page Actions' layer is visible, and the 'Page: 00:00' indicator is present. The 'Page Notes' tab is also visible on the left side of the timeline.

Using a Variable to Show a Label within a Video

2. Select Triggers.

The screenshot displays the Articulate Storyline software interface. At the top, the ribbon includes tabs for Home, Insert, Engage, Interact, Record, Design, and View. The 'Interact' tab is active, showing various interaction options like 'Triggers', 'Actions', 'Navigation', 'Drag Settings', and 'Drop Settings'. The 'Triggers' menu is highlighted with a red box. Below the ribbon, the main workspace shows a video titled 'Using a Variable to Show a Label within a Video'. The video is currently paused at the 00:00 mark. The timeline at the bottom shows a duration of 4.5 minutes. The 'Page Actions' section is visible, showing a 'Pause' action at the 00:00 mark. The 'Page Notes' tab is selected, showing the video's transcript. The 'Page: 00:00' label is visible in the timeline area. The 'Add Action' button is also present. The bottom right corner shows a 'Saved (1 min read)' status and buttons for 'Commit' and 'Save a Copy'.


Using a Variable to Show a Label within a Video

3. Select Is Changed under Variables.

The screenshot displays the Articulate Storyline software interface. The top ribbon includes tabs for Home, Insert, Engage, Interact, Record, Design, and View. The 'Interact' tab is active, showing various interaction options like Triggers, Actions, and Drag Settings. A 'Select a Trigger' dropdown menu is open, showing a list of triggers. Under the 'Variables' section, the 'Is Changed' trigger is highlighted with a red rectangle. The main workspace shows a video player with a timeline and a title 'able to Show a Label within a Video'. The timeline is set to 'Page: 00:00' and has a duration of 4.5 minutes. The video player shows a person in a kitchen setting. The bottom right corner of the interface shows a 'Saved (1 min read)' status and buttons for 'Commit' and 'Save a Copy'.


Using a Variable to Show a Label within a Video

4. Select the Select a Variable dropdown.




Using a Variable to Show a Label within a Video

5. Select the Marker1Clicked (number) Variable.




Using a Variable to Show a Label within a Video

6. Select Ok.




Using a Variable to Show a Label within a Video

7. Select Equal to under Number.




Using a Variable to Show a Label within a Video

8. Select the Enter Value Input Box to add 2.




Using a Variable to Show a Label within a Video


9. Select Next.



10. Select Show under Hides and Shows.



11. Select Next.



Using a Variable to Show a Label within a Video

12. Select Label within the Video Element under Page Actions and Timings.

The screenshot displays the Articulate Storyline interface. The top ribbon includes tabs for Home, Insert, Engage, Interact, Record, Design, and View. The 'Interact' tab is active, showing various interaction options like Triggers, Actions, and Navigation. The main workspace shows a video player with a play button and a red 'X' icon. The 'Page Actions and Timings' panel is open on the right, showing a list of targets. The 'Label' target is selected under the 'Video' element. The 'Effect' is set to 'Fade', the 'Trigger' is 'When variable is...', the 'Variable' is 'Marker1 clicked (number)', the 'Operator' is '==', and the 'Value' is '0'. The 'Duration' is set to '0 : 1 . 0'. The 'Timeline' panel at the bottom shows a timeline with a playhead at 0:00.

Using a Variable to Show a Label within a Video

13. Make sure Set "Hidden on Load" for targets is selected. Select Apply.

The screenshot displays the Articulate Storyline software interface. The top ribbon includes tabs for Home, Insert, Engage, Interact, Record, Design, and View. The 'Interact' tab is active, showing various interaction options like Triggers, Actions, and Navigation. The main workspace shows a video player with a play button and a red 'X' icon. The 'Page Actions and Timings' panel is open on the right, showing a list of actions for 'Marker1' and 'AaHeaderText'. The 'Effect' is set to 'Fade'. The 'Trigger' is 'When variable is...' and the 'Variable' is 'Marker1 clicked (number)'. The 'Operator' is '=='. The 'Value' is '2'. The 'Timer' is set to '0 : 0 . 0' and the 'Duration' is '0 : 1 . 0'. The 'Conditions' section is empty. The 'Set "Hidden On Load" for targets' checkbox is checked. The 'Apply' button is highlighted with a red box.

Page Actions and Timings

Marker	Effect	Trigger	When variable is...	Variable	Operator	Value
Marker1	Fade	When variable is...		Marker1 clicked (number)	==	2
AaHeaderText						

Timer: 0 : 0 . 0
Duration: 0 : 1 . 0
Hide other action targets
Conditions:
☒ Set "Hidden On Load" for targets
☐ Clear "Hidden On Load" for targets
Apply Cancel

Using a Variable to Show a Label within a Video

14. Select Done.

The screenshot displays the Articulate Storyline software interface. The top ribbon includes tabs for Home, Insert, Engage, Interact, Record, Design, and View. The 'Interact' tab is active, showing various interaction options like Triggers, Actions, and Navigation. The main workspace shows a video player with a play button and a red 'X' icon. The video player is titled 'Using a Variable to Show a Label within a Video >'. The 'Page Actions and Timings' panel is open on the right, showing a table with columns for Action, Targets, and Trigger. The table contains two rows: 'Pause' with target 'Video' and trigger '0:02', and 'Show Elements' with target 'Label' and trigger 'When variab...'. The 'Done' button at the bottom right of the panel is highlighted with a red box. The bottom of the interface shows a timeline with a playhead at 0:00 and a 'Page: 00:00' label. The bottom status bar includes 'Contacts', 'Support', and 'Quick Tour' links.

Action	Targets	Trigger
Pause	Video	0:02
Show Elements	Label	When variab...

Using a Variable to Show a Label within a Video

15. The Trigger is now set to show the Continue label when Markers1Clicked is equal to 2. Once the user clicks the blue and green Markers within the Video Element, the Continue label will show.

The screenshot displays the Articulate Storyline software interface. At the top, the ribbon menu includes tabs for Home, Insert, Engage, Interact, Record, Design, and View. The 'Interact' tab is active, showing various interaction options like Triggers, Actions, and Element Interactions. Below the ribbon, a video player is embedded within a slide titled 'Using a Variable to Show a Label within a Video'. The video shows a person sitting at a desk. Overlaid on the video are two circular markers: a blue one with an 'i' icon and a green one with a play icon. Below the video player, the 'Timeline' tab is selected, showing a horizontal timeline from 0.0 to 4.5 minutes. A vertical line marks the 2.0-minute point. The timeline includes tracks for Page Actions, Base Layer, Video, and HeaderText. At the bottom of the interface, there are buttons for Contacts, Support, and Quick Tour, along with a status bar indicating 'Saved (1 min read)' and buttons for Commit and Save a Copy.